FRANKTON PARISH COUNCIL

Minutes of the meeting of November 29th 2016 at Bourton at 8pm

Present Cllrs Browning, Chairman; Gardner, Mitchell, Thompson, Mrs Wilson. In attendance Mrs Fennell, clerk; Cllr Roberts, WCC/RBC, Mr Penney, elector.

Open forum Mr Penney complained about speeding traffic between Bourton and Frankton, requesting measures to prevent this, e.g. additional "30" signs and roundels painted on the road surface. Cllr Roberts to take up the matter with the authorities

Apologies and declarations of interest-None.

Minutes and matters arising Minutes of the September meeting were taken as read and signed correct, there were no matters arising not covered by the agenda

Correspondence From RBC, consultation on green bin collection, asking residents whether they would be willing to pay for it. RBC, declaration of pecuniary interests form for councillors to complete.

Plans – Application- Yew Tree Cottage, extension, no comment.

Finance. Budget 2017-8 agreed at £4870. Accounts payable- 507 Eon street lamps £115.09. 508. Eon street lamps £217.17. 509. Bourton village hall, room hire £10. 510. S Fennell, salary/expenses £614.84. 511 Eon street lamp repair £7.20. 512, Stationery, (reimburse SF) £33.99. VAT for reclaim £264, approx £600 commitment by year-end. 8

Phone box. RBC are collecting requests from parishes and have been advised that Frankton wish to keep the box. BT make final decision. Adoption cost £1, insurance £25+. Maintenance, PC's responsibility.

Quarry Further consultation commences Dec 6th.

10

Next meeting MONDAY FEBRUARY 27th 2017 at 7PM, THEN DINNER AT PUB SF WILL BOOK, PLEASE ADVISE NEARER THE DATE OF NUMBERS.

AOB Forum, provisionally on Feb 22 at Leamington Hastings, subjects, speeding & broadband.

Cllr Thompson- poor visibility at turn off at garage on A45 due to advertising signs. Cllr Roberts, fire training base now going to Southam, possible new station site on A45 could also serve as a base for air ambulance.

There was no other business, the meeting closed at 8.50pm.